

according to Regulation (EC) No. 1907/2006

SOLITEX MENTO 1000; SOLITEX MENTO 1000 connect

SOLITEX MENTO 3000; SOLITEX MENTO 3000 connect

SOLITEX MENTO 5000: SOLITEX MENTO 5000 connect

SOLITEX MENTO PLUS; SOLITEX MENTO PLUS connect

SOLITEX MENTO ULTRA; SOLITEX MENTO ULTRA connect

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SOLITEX MENTO 1000; SOLITEX MENTO 1000 connect SOLITEX MENTO 3000; SOLITEX MENTO 3000 connect SOLITEX MENTO 5000; SOLITEX MENTO 5000 connect SOLITEX MENTO PLUS; SOLITEX MENTO PLUS connect SOLITEX MENTO ULTRA; SOLITEX MENTO ULTRA connect

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Weather Resistive Barrier

Uses advised against

No information available

1.3. Details of the supplier of the safety data sheet

Pro Clima Australia Ptv Ltd.

Level 3/15-21 Doody St, Alexandria NSW 2015

1800 PRO CLIMA (776 254) welcome@proclima.com.au www.proclima.com.au

Pro Clima NZ Ltd.

Level 1/47 The Esplanade, Petone, Lower Hutt 5012

PO Box 925, Wellington 6140 0800 PRO CLIMA (776 254) welcome@proclima.co.nz www.proclima.co.nz

1.4. Emergency telephone number:

Emergency medical information in case of poisoning:

Australia:

Poison Information Centre (National)

No information available. 13 11 26 (24hrs)

New Zealand:

National Poison Centre 0800 764 766 (24hrs) 0800 POISON

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1907/2006

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1907/2006.

2.2. Label elements

Further Information

2.3. Other hazards

Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No special measures are necessary.

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).



according to Regulation (EC) No. 1907/2006

SOLITEX MENTO 1000; SOLITEX MENTO 1000 connect SOLITEX MENTO 3000; SOLITEX MENTO 3000 connect SOLITEX MENTO 5000; SOLITEX MENTO 5000 connect SOLITEX MENTO PLUS; SOLITEX MENTO PLUS connect SOLITEX MENTO ULTRA; SOLITEX MENTO ULTRA connect

Page 2 of 9

After inhalation

Provide fresh air.

After contact with skin

Gently wash with plenty of soap and water.

In case of skin irritation, consult a physician.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice/attention.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Dry extinguishing powder, alcohol resistant foam, Carbon dioxide (CO2), Water spray jet

Unsuitable extinguishing media

Full water iet

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx)

5.3. Advice for firefighters

Special protective equipment for firefighters Protective clothing.

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Dispose of waste according to applicable legislation.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

See protective measures under point 7 and 8.

Personal protection equipment: see section 8

Provide adequate ventilation.

Avoid contact with eyes and skin.

For non-emergency personnel

No further relevant information available.

For emergency responders

No further relevant information available.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.



according to Regulation (EC) No. 1907/2006

SOLITEX MENTO 1000; SOLITEX MENTO 1000 connect SOLITEX MENTO 3000; SOLITEX MENTO 3000 connect SOLITEX MENTO 5000; SOLITEX MENTO 5000 connect SOLITEX MENTO PLUS; SOLITEX MENTO PLUS connect SOLITEX MENTO ULTRA; SOLITEX MENTO ULTRA connect

Page 3 of 9

6.3. Methods and material for containment and cleaning up

For containment

Take up mechanically, placing in appropriate containers for disposal.

For cleaning up

Water (with cleaning agent)

Clean with detergents. Avoid solvent cleaners.

Other information

Provide adequate ventilation.

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

See section 8.

Wear personal protection equipment (refer to section 8).

Avoid contact with eyes and skin.

Avoid: Dust deposits

Advice on protection against fire and explosion

Usual measures for fire prevention.

Take precautionary measures against static discharges.

Advice on general occupational hygiene

Only wear fitting, comfortable and clean protective clothing.

When using do not eat, drink, smoke, sniff.

Wash hands before breaks and after work.

Further information on handling

When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a cool dry place.

Protect from direct sunlight.

Hints on joint storage

Keep away from: Oxidising agent, strong

Further information on storage conditions

Keep away from: Frost, Heat, Humidity

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

Does not contain substances above concentration limits fixing an occupational exposure limit.



according to Regulation (EC) No. 1907/2006

SOLITEX MENTO 1000; SOLITEX MENTO 1000 connect SOLITEX MENTO 3000; SOLITEX MENTO 3000 connect SOLITEX MENTO 5000; SOLITEX MENTO 5000 connect SOLITEX MENTO PLUS; SOLITEX MENTO PLUS connect SOLITEX MENTO ULTRA: SOLITEX MENTO ULTRA connect

Page 4 of 9

8.2. Exposure controls

Appropriate engineering controls

Take precautionary measures against static discharges.

Individual protection measures, such as personal protective equipment

Eye/face protection

Recommended eve protection articles: Eve glasses

Hand protection

Use of protective gloves, Tested protective gloves must be worn

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Thickness of the glove material: No information available.

Breakthrough time: No information available.

Skin protection

Wear suitable protective clothing.

Respiratory protection

Usually no personal respirative protection necessary.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Full-/half-/quarter-face masks (DIN EN 136/140): P2

Thermal hazards

not relevant

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: solid
Colour: anthracite
Odour: odourless

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range:

Flash point: No data available

Flammability

Solid/liquid: No data available
Gas: No data available

Explosive properties

not explosive.

Lower explosion limits:

Upper explosion limits:

No data available

No data available

Auto-ignition temperature:

No data available



according to Regulation (EC) No. 1907/2006

SOLITEX MENTO 1000; SOLITEX MENTO 1000 connect SOLITEX MENTO 3000; SOLITEX MENTO 3000 connect SOLITEX MENTO 5000; SOLITEX MENTO 5000 connect SOLITEX MENTO PLUS; SOLITEX MENTO PLUS connect SOLITEX MENTO ULTRA; SOLITEX MENTO ULTRA connect

Page 5 of 9

Self-ignition temperature

Solid: No data available Gas: No data available No data available Decomposition temperature: pH-Value: No data available No data available Viscosity / dynamic: Viscosity / kinematic: No data available Flow time: No data available Water solubility: practically insoluble

Solubility in other solvents

No data available

Partition coefficient n-octanol/water:

Vapour pressure:

No data available

No data available

No data available

Relative vapour density:

No data available

9.2. Other information

Information with regard to physical hazard classes

Sustaining combustion: No data available

Oxidizing properties

This information is not available.

Other safety characteristics

Solvent content: 0,08 % Evaporation rate: No data available

Further Information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Reacts with: Oxidising agent, strong

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges.

10.5. Incompatible materials

Oxidising agent, strong

10.6. Hazardous decomposition products

Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx)

Further information

No information available.



according to Regulation (EC) No. 1907/2006

SOLITEX MENTO 1000; SOLITEX MENTO 1000 connect SOLITEX MENTO 3000; SOLITEX MENTO 3000 connect SOLITEX MENTO 5000; SOLITEX MENTO 5000 connect SOLITEX MENTO PLUS; SOLITEX MENTO PLUS connect

SOLITEX MENTO ULTRA; SOLITEX MENTO ULTRA connect

Page 6 of 9

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No. 1907/2006

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

SECTION 12: Ecological information

12.1. Toxicity

No information available.

12.2. Persistence and degradability

Poorly biodegradable.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

No information available.

12.7. Other adverse effects

No information available.

Further information

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

non-hazardous waste

Dispose of waste according to applicable legislation. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. (AVV 170604,



according to Regulation (EC) No. 1907/2006

SOLITEX MENTO 1000; SOLITEX MENTO 1000 connect SOLITEX MENTO 3000; SOLITEX MENTO 3000 connect SOLITEX MENTO 5000; SOLITEX MENTO 5000 connect SOLITEX MENTO PLUS; SOLITEX MENTO PLUS connect SOLITEX MENTO ULTRA: SOLITEX MENTO ULTRA connect

Page 7 of 9

Print date: 03.12.2024

170203

List of Wastes Code - residues/unused products

170203 CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM

CONTAMINATED SITES); wood, glass and plastic; Plastic

Contaminated packaging

Completely emptied packages can be recycled.
Dispose of waste according to applicable legislation.
For cleaning up: Water (with cleaning agent)

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

No information available.

Other applicable information

No information available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): 0,083 %



according to Regulation (EC) No. 1907/2006

SOLITEX MENTO 1000; SOLITEX MENTO 1000 connect SOLITEX MENTO 3000; SOLITEX MENTO 3000 connect SOLITEX MENTO 5000; SOLITEX MENTO 5000 connect SOLITEX MENTO PLUS; SOLITEX MENTO PLUS connect SOLITEX MENTO ULTRA; SOLITEX MENTO ULTRA connect

Page 8 of 9

2004/42/EC (VOC): 0,083 %

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Classification according to Regulation (EC) No 1272/2008 [CLP]

DIRECTIVE (EU) 2018/851 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 30 May

2018amending Directive 2008/98/EC on waste

DIRECTIVE 2008/98/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 19 November 2008

on waste and repealing certain Directives

National regulatory information

Water hazard class (D): awg - hazardous to water in general

Additional information

Germanv:

Ordinance on systems for handling water-polluting substances (AwSV)

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,5,6,7,8,9,10,11,12,14,15.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID:Règlement international conernat le transport des marchandises dangereuses par chemin de fer

(Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Refulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CLP: Regulation on Classification, Labelling and Packaging of Substances and Mixtures,

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

EC50: Effectice concentration, 50 percent

DNEL: Derived No Effect Level

PNEC: Predicted No Effect Concentration
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.



according to Regulation (EC) No. 1907/2006

SOLITEX MENTO 1000; SOLITEX MENTO 1000 connect SOLITEX MENTO 3000; SOLITEX MENTO 3000 connect SOLITEX MENTO 5000; SOLITEX MENTO 5000 connect SOLITEX MENTO PLUS; SOLITEX MENTO PLUS connect SOLITEX MENTO ULTRA; SOLITEX MENTO ULTRA connect

Page 9 of 9

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)