



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### TESCON Primer RP

Revision date: 03.12.2024

Page 1 of 13

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

TESCON Primer RP

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Primer

#### Uses advised against

No information available.

### 1.3. Details of the supplier of the safety data sheet

#### Pro Clima Australia Pty Ltd.

Level 3/15-21 Doody St, Alexandria NSW 2015

1800 PRO CLIMA (776 254)

welcome@proclima.com.au

www.proclima.com.au

#### Pro Clima NZ Ltd.

Level 1/47 The Esplanade, Petone, Lower Hutt 5012

PO Box 925, Wellington 6140

0800 PRO CLIMA (776 254)

welcome@proclima.co.nz

www.proclima.co.nz

### 1.4. Emergency telephone number: Emergency medical information in case of poisoning:

**Australia:**  
Poison Information Centre (National)  
13 11 26 (24hrs)

**New Zealand:**  
National Poison Centre  
0800 764 766 (24hrs)  
0800 POISON

#### Further Information

No data available

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Regulation 1907/2006, CLP

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

### 2.2. Label elements

FYI: Regulation 1907/2006, CLP

#### Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

EUH210 Safety data sheet available on request.

### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Polymer Dispersion



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### TESCON Primer RP

Revision date: 03.12.2024

Page 2 of 13

#### Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			< 0.1 %
	220-120-9	613-088-00-6		
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1; H302 H315 H318 H317 H400			
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)			< 0.1 %
	-	613-167-00-5	01-2120764691-48	
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071			

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
2634-33-5	220-120-9	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	< 0.1 %
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = 670 mg/kg Skin Sens. 1; H317: >= 0,05 - 100 M acute; H400: M=1		
55965-84-9	-	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	< 0.1 %
	inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: LD50 = 660 mg/kg; oral: LD50 = 457 mg/kg Skin Corr. 1C; H314: >= 0,6 - 100 Skin Irrit. 2; H315: >= 0,06 - < 0,6 Eye Dam. 1; H318: >= 0,6 - 100 Eye Irrit. 2; H319: >= 0,06 - < 0,6 Skin Sens. 1A; H317: >= 0,0015 - 100 M acute; H400: M=100 M chron.; H410: M=100		

#### Further Information

No data available

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

When in doubt or if symptoms are observed, get medical advice.

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

Provide fresh air. Call a doctor if you feel unwell.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

Remove contaminated, saturated clothing immediately. And wash it before reuse. In case of skin irritation, consult a physician.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### TESCON Primer RP

Revision date: 03.12.2024

Page 3 of 13

immediate medical attention.

Do NOT induce vomiting.

#### **4.2. Most important symptoms and effects, both acute and delayed**

IF SWALLOWED: Gastrointestinal complaints, Vomiting, Nausea

In case of prolonged or frequently repeated skin contact: Irritating to eyes. Irritating to skin.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

First Aid, decontamination, treatment of symptoms.

### SECTION 5: Firefighting measures

#### **5.1. Extinguishing media**

##### **Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

The product is not: Combustible

##### **Unsuitable extinguishing media**

No information available.

#### **5.2. Special hazards arising from the substance or mixture**

Closed containers may burst when pressure and temperature rise

#### **5.3. Advice for firefighters**

Special protective equipment for firefighters Protective clothing.

In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Dispose of waste according to applicable legislation.

### SECTION 6: Accidental release measures

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **General advice**

See protective measures under point 7 and 8.

Provide adequate ventilation.

Use personal protection equipment. See section 8.

##### **For non-emergency personnel**

Stop leak if safe to do so.

Keep away from unprotected people.

##### **For emergency responders**

No further relevant information available.

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Cover drains. Do not allow to enter into soil/subsoil.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

#### **6.3. Methods and material for containment and cleaning up**

##### **For containment**

Wipe up with absorbent material (eg. cloth, fleece).

Handling larger quantities:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal.

##### **For cleaning up**

Water (with cleaning agent)

Clean with detergents. Avoid solvent cleaners.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### TESCON Primer RP

Revision date: 03.12.2024

Page 4 of 13

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.

Clean contaminated articles and floor according to the environmental legislation. Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

See protective measures under point 7 and 8.

Disposal: see section 13

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Advice on safe handling

Wear personal protection equipment (refer to section 8).

Keep out of reach of children. Avoid contact with skin, eyes and clothes.

Avoid breathing dust/fume/gas/mist/vapours/spray. Provide adequate ventilation. In case of inadequate ventilation wear respiratory protection.

Avoid release to the environment. Do not allow to enter into surface water or drains. Clear spills immediately.

##### Advice on protection against fire and explosion

No special fire protection measures are necessary.

##### Advice on general occupational hygiene

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Only wear fitting, comfortable and clean protective clothing.

Wash hands before breaks and after work.

When using do not eat, drink, smoke, sniff.

Make available sufficient washing facilities

Wash contaminated clothing prior to re-use.

Apply skin care products after work.

Work in well-ventilated zones or use proper respiratory protection.

##### Further information on handling

Use only in well-ventilated areas.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Keep/Store only in original container.

storage temperature 5-35°C

##### Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

##### Further information on storage conditions

Keep away from: Frost, Humidity,

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Avoid high temperatures or direct sunlight.

#### 7.3. Specific end use(s)

Observe technical data sheet.

### SECTION 8: Exposure controls/personal protection



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### TESCON Primer RP

Revision date: 03.12.2024

Page 5 of 13

#### 8.1. Control parameters

##### DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			
Worker DNEL, long-term		inhalation	systemic	6,81 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	0,966 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	1,2 mg/m <sup>3</sup>
Consumer DNEL, long-term		dermal	systemic	0,345 mg/kg bw/day
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)			
Worker DNEL, long-term		inhalation	local	0,02 mg/m <sup>3</sup>
Worker DNEL, acute		inhalation	local	0,04 mg/m <sup>3</sup>
Consumer DNEL, long-term		inhalation	local	0,02 mg/m <sup>3</sup>
Consumer DNEL, acute		inhalation	local	0,04 mg/m <sup>3</sup>
Consumer DNEL, long-term		oral	systemic	0,09 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	0,11 mg/kg bw/day

##### PNEC values

CAS No	Substance	Value
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	
Freshwater		0,00403 mg/l
Freshwater (intermittent releases)		0,0011 mg/l
Marine water		0,000403 mg/l
Freshwater sediment		0,0499 mg/kg
Marine sediment		0,00499 mg/kg
Micro-organisms in sewage treatment plants (STP)		1,03 mg/l
Soil		3 mg/kg
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	
Freshwater		0,00339 mg/l
Freshwater (intermittent releases)		0,00339 mg/l
Marine water		0,00339 mg/l
Freshwater sediment		0,027 mg/kg
Marine sediment		0,027 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,23 mg/l
Soil		0,01 mg/kg

#### 8.2. Exposure controls

##### Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations.

##### Individual protection measures, such as personal protective equipment



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### TESCON Primer RP

Revision date: 03.12.2024

Page 6 of 13

#### Eye/face protection

Wear eye/face protection. EN 166  
IF exposed or concerned: Tightly sealed safety glasses. goggles

#### Hand protection

Suitable gloves type NBR (Nitrile rubber) EN ISO 374  
The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Thickness of the glove material: >0,4 mm  
Permeation time (maximum wear duration): >480 min

Breakthrough times and swelling properties of the material must be taken into consideration. Observe the wear time limits as specified by the manufacturer.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Check leak tightness/impermeability prior to use.

#### Skin protection

Wear suitable protective clothing. And wash it before reuse.

#### Respiratory protection

Usually no personal respirative protection necessary.

Respiratory protection necessary at: aerosol or mist formation

Suitable respiratory protection apparatus: Half-face mask or quarter facepiece: maximum use concentration for substances with exposure limits: P1 filter: up to a max. of 4 times the exposure limit. P2 filter: up to a max. of 10 times the exposure limit. P3 filter: up to a max. of 30 times the expo.

#### Thermal hazards

No data available

#### Environmental exposure controls

Clear spills immediately.

Provide for retaining containers, e.g. floor pan without outflow.  
provide inert absorbent.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	white
Odour:	characteristic (ester)

#### Changes in the physical state

Melting point/freezing point:	No data available
Boiling point or initial boiling point and boiling range:	No data available
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
Flash point:	No data available

#### Flammability

Solid/liquid:	No data available
Gas:	No data available



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### TESCON Primer RP

Revision date: 03.12.2024

Page 7 of 13

#### Explosive properties

not explosive.

Lower explosion limits: No data available  
Upper explosion limits: No data available  
Auto-ignition temperature: No data available

#### Self-ignition temperature

Solid: No data available

Gas: No data available

Decomposition temperature: No data available

pH-Value: 4,6 - 6

Viscosity / dynamic: 10 - 700 mPa·s

Viscosity / kinematic: No data available

Water solubility: miscible

#### Solubility in other solvents

No information available.

Partition coefficient n-octanol/water: No data available

Vapour pressure:  
(at 20 °C) ~23 hPa

Density (at 20 °C): 0,9 - 1,1 g/cm<sup>3</sup>

Bulk density: No data available

Relative vapour density: No data available

#### 9.2. Other information

##### Information with regard to physical hazard classes

Sustaining combustion: No data available

Oxidizing properties

Not oxidising.

##### Other safety characteristics

Solvent content: No data available

Evaporation rate: No data available

##### Further Information

No information available.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

This material is considered to be non-reactive under normal use conditions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

Heat. Protect from direct sunlight.

#### 10.5. Incompatible materials

No information available.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### TESCON Primer RP

Revision date: 03.12.2024

Page 8 of 13

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

#### Further information

No information available.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in GB CLP Regulation

##### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one				
	oral	LD50 670 mg/kg	Rat	Study report (1988)	OECD Guideline 401
	dermal	LD50 > 2000 mg/kg	Rat	Study report (1994)	OECD Guideline 402
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)				
	oral	LD50 457 mg/kg	Rat	Study report (1993)	- Principle of test: The test material w
	dermal	LD50 660 mg/kg	Rabbit	Study report (1993)	- Principle of test: The undiluted test
	inhalation vapour	ATE 0,5 mg/l			
	inhalation dust/mist	ATE 0,05 mg/l			

##### Irritation and corrosivity

Based on available data, the classification criteria are not met.

##### Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

##### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

##### STOT-single exposure

Based on available data, the classification criteria are not met.

##### STOT-repeated exposure

Based on available data, the classification criteria are not met.

##### Aspiration hazard

Based on available data, the classification criteria are not met.

##### Practical experience

No data available

#### 11.2. Information on other hazards

##### Endocrine disrupting properties

No data available

##### Further information

The product has not been tested.





## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### TESCON Primer RP

Revision date: 03.12.2024

Page 9 of 13

## SECTION 12: Ecological information

### 12.1. Toxicity

No further relevant information available.

CAS No	Chemical name						
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method	
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one						
	Acute fish toxicity	LC50 mg/l	ca. 16,7	96 h	Cyprinodon variegatus	REACH Registration Dossier	other:
	Acute algae toxicity	ErC50	0,15 mg/l	72 h	Pseudokirchneriella subcapitata	Study report (1994)	OECD Guideline 201
	Acute crustacea toxicity	EC50	2,94 mg/l	48 h	Daphnia magna	Study report (1995)	OECD Guideline 202
	Algae toxicity	NOEC mg/l	0,0403	72 d			
	Acute bacteria toxicity	(EC50	13 mg/l)	3 h	activated sludge of a predominantly domestic sewage	REACH Registration Dossier	OECD Guideline 209
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)						
	Acute fish toxicity	LC50	0,19 mg/l	96 h	Oncorhynchus mykiss	REACH Registration Dossier	EPA OPP 72-1
	Acute algae toxicity	ErC50 mg/l	0,0063	72 h	Skeletonema costatum	Study report (1995)	OECD Guideline 201
	Acute crustacea toxicity	EC50	0,18 mg/l	48 h	Daphnia magna	REACH Registration Dossier	EPA OPP 72-2
	Fish toxicity	NOEC 0,0464 mg/l	>=	35 d	Danio rerio	REACH Registration Dossier	OECD Guideline 210
	Crustacea toxicity	NOEC	0,1 mg/l	21 d	Daphnia magna	Study report (1991)	EPA OPP 72-4
	Acute bacteria toxicity	(EC50	4,5 mg/l)	3 h	activated sludge of a predominantly domestic sewage	Study report (1995)	OECD Guideline 209

### 12.2. Persistence and degradability

Biodegradation: Not readily biodegradable (according to OECD criteria)

The product can be eliminated from water by abiotic processes, e.g. adsorption on activated sludge.  
98% Method OECD 302



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### TESCON Primer RP

Revision date: 03.12.2024

Page 10 of 13

CAS No	Chemical name	Method	Value	d	Source
		Evaluation			
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one				
	OECD 303A Activated sludge S 978	>70%			
	OECD 302B Activated sludge S 3509	90%			
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)				
	Biodegradation	>60 %	28		
	Readily biodegradable (according to OECD criteria).				

#### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	0,63
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	0,326

#### BCF

CAS No	Chemical name	BCF	Species	Source
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	ca. 6,62	Lepomis macrochirus	REACH Registration D
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	ca. 54	Lepomis macrochirus	Study report (1996)

#### 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

#### Further information

Water hazard class 1

## SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Dispose of waste according to applicable legislation.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Non hazardous waste according to Directive 2008/98/EC (waste framework directive).

##### List of Wastes Code - residues/unused products



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### TESCON Primer RP

Revision date: 03.12.2024

Page 11 of 13

080412 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); adhesive and sealant sludges other than those mentioned in 08 04 11

#### List of Wastes Code - used product

080412 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); adhesive and sealant sludges other than those mentioned in 08 04 11

#### Contaminated packaging

Dispose of waste according to applicable legislation.

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Clean with detergents. Avoid solvent cleaners.

Retain contaminated washing water and dispose it. Do not allow to enter into soil/subsoil.

## SECTION 14: Transport information

#### Land transport (ADR/RID)

**14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.

**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.

#### Inland waterways transport (ADN)

**14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.

**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

**14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.

**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.

#### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.

**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

#### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

#### Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Classification according to Regulation (EC) No 1272/2008 [CLP]

DIRECTIVE 2008/98/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 19 November 2008 on waste and repealing certain Directives



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### TESCON Primer RP

Revision date: 03.12.2024

Page 12 of 13

DIRECTIVE (EU) 2018/851 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 30 May 2018 amending Directive 2008/98/EC on waste

#### National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

#### Additional information

This product is a with biocidal products treated article.

(biocides:

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1))

To follow:

TRGS: 220, 400, 401, 500, 900

Berufsgenossenschaftliche Regeln (DGUV-Regeln)

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### Changes

This data sheet contains changes from the previous version in section(s): 1,3,4,6,7,8,9,10,11,12,13,14,15,16.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international conernat le transport des marchandises dangereuses par chemin de fer

(Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Refulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CLP: Regulation on Classification, Labelling and Packaging of Substances and Mixtures,

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

EC50: Effectice concentration, 50 percent

DNEL: Derived No Effect Level

PNEC: Predicted No Effect Concentration

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

#### Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### TESCON Primer RP

Revision date: 03.12.2024

Page 13 of 13

H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
EUH208	Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.
EUH210	Safety data sheet available on request.

#### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Data arise from reference works and literature.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*